INFORMED CONSENT FORM

Breast Augmentation with Silicone Implants

This draft supports, but does not replace, an in-person discussion with the surgeon. Do not sign until the individualized procedure plan and risks have been completed.

PATIENT AND PROCEDURE DETAILS

Full name: _____

Date of birth: _____

Patient / file number: _____

Counseling date: _____

Facility / place of surgery: _____

Proposed procedure, side and area: _____

Procedure overview

Augmentation places silicone gel-filled implants beneath breast tissue or in a plane related to the chest muscle. Incisions, implant volume, shape, surface and pocket location depend on anatomy and shared decisions.

Purpose and potential benefits

The aim is to increase breast volume or improve volume differences; perfect symmetry or a specific result cannot be guaranteed.

Alternatives

No surgery; external padding or prostheses; consideration of fat transfer or other implant options where appropriate.

Procedure-specific risks

Bleeding, hematoma, infection, poor healing, scars, altered sensation, possible breastfeeding difficulties, capsular contracture, implant displacement, visible edges or rippling, implant rupture (which may be silent), seroma, asymmetry and further surgery. Implants are not lifetime devices. Rare breast implant-associated anaplastic large cell lymphoma (BIA-ALCL), particularly associated with textured implants, and rare implant-capsule squamous cell carcinoma (BIA-SCC) and other tumors have been reported. Systemic symptoms attributed by some patients to implants also warrant assessment.

Postoperative care

Follow instructions on supportive garments, wound care and arm movement. Report new swelling, a lump, persistent pain or shape changes for breast and implant evaluation.

Questions for your surgeon

What are the implant brand, model, surface and identifiers? How will capsular contracture risk and long-term surveillance be managed?

General surgical and anesthesia risks

Any operation can involve bleeding, hematoma, infection, delayed healing, wound separation, scarring, pain, numbness, swelling, allergy or medication reactions, venous blood clots (DVT or pulmonary embolism), anesthesia-related complications and, rarely, life-threatening events. Individual risks vary with health status and procedure.

Personal factors affecting risk

Tell the surgeon about smoking/nicotine use, diabetes, high blood pressure, cardiac or lung conditions, previous operations, bleeding or clotting disorders, poor wound healing, possible pregnancy, prescribed medicines, hormones, supplements and allergies. Do not stop prescribed medications without medical advice.

Expectations, additional treatment and costs

Cosmetic outcomes are personal and subjective. Asymmetry, persistent scars, dissatisfaction or unexpected healing may require additional care or revision. Timing, feasibility, likely benefit and potential additional costs of revision must be discussed separately.

Recovery and warning signs

Attend follow-up appointments. Seek prompt care for fever, worsening redness, pus, increasing bleeding, uncontrolled pain, sudden shortness of breath, chest pain or new swelling of one leg. Procedure-specific emergency warning signs are described above.

Alternatives and right to decline

You may decline the proposed operation, obtain a second opinion and withdraw consent before the intervention begins. Declining elective cosmetic surgery usually means retaining the current appearance; functional concerns should be assessed separately.

Photographs and privacy

Clinical photographs and medical records needed for care must be handled under applicable health-data confidentiality rules. Educational, social media, advertising or other public use is NOT authorized by this surgical consent and requires separate explicit permission.

INDIVIDUALIZED PLAN AND RISK NOTES (TO BE COMPLETED BY SURGEON)

Incisions, technique, side and additional procedures: _____

_____

Relevant conditions / risks / allergies / medications: _____

_____

Anesthesia and estimated duration: _____

_____

PATIENT COUNSELING AND DECISION RECORD

The purpose, technique, reasonable alternatives, consequences of declining surgery, significant risks, expected recovery and emergency warning signs were explained to me in a language I understand. I could ask questions and seek another opinion. I understand that outcomes are not guaranteed and additional care or revision may be needed. I know I can withdraw my consent before the procedure begins.

[ ] I consent to the procedure individualized and explained above.

[ ] I decline the proposed procedure / defer my decision.

Patient printed name and signature: _____

Date / Time: _____

Counseling surgeon name and signature: _____

Date / Time: _____

Legal representative, relationship and signature (if applicable):

_____

Date / Time: _____

Interpreter name, language and signature (if applicable): _____

Date / Time: _____

DRAFT • Requires surgeon and legal review • Not approved for clinical use