INFORMED CONSENT FORM

Brow Lift Surgery

This draft supports, but does not replace, an in-person discussion with the surgeon. Do not sign until the individualized procedure plan and risks have been completed.

PATIENT AND PROCEDURE DETAILS

Full name: _____

Date of birth: _____

Patient / file number: _____

Counseling date: _____

Facility / place of surgery: _____

Proposed procedure, side and area: _____

Procedure overview

A brow lift raises or reshapes brow position and addresses laxity of the forehead or temple region. Incisions may be placed in the scalp, along the hairline or near the brow. Endoscopic and open approaches are chosen according to anatomy and treatment goals.

Purpose and potential benefits

The aim is better brow position and upper-face contour. Perfect equality, complete removal of expression lines and a lifelong unchanged result are not expected.

Alternatives

No operation; temporary options such as botulinum toxin when suitable; separate assessment for upper blepharoplasty when excess eyelid skin is present.

Procedure-specific risks

Risks include excessive or insufficient brow elevation, asymmetry or an unexpected facial expression; hairline changes, hair loss around incisions or visible scarring; forehead/scalp numbness or itching; injury to nerves that move the forehead; persistent swelling, bleeding, infection and the need for further treatment.

Postoperative care

Follow incision care, dressing and hair-washing instructions. Swelling and sensory changes can take time to settle. Obtain approval before vigorous activity or pressure on the scalp.

Questions for your surgeon

Which technique is planned? Might my hairline change? What is the risk of altered forehead movement?

General surgical and anesthesia risks

Any operation can involve bleeding, hematoma, infection, delayed healing, wound separation, scarring, pain, numbness, swelling, allergy or medication reactions, venous blood clots (DVT or pulmonary embolism), anesthesia-related complications and, rarely, life-threatening events. Individual risks vary with health status

and procedure.

Personal factors affecting risk

Tell the surgeon about smoking/nicotine use, diabetes, high blood pressure, cardiac or lung conditions, previous operations, bleeding or clotting disorders, poor wound healing, possible pregnancy, prescribed medicines, hormones, supplements and allergies. Do not stop prescribed medications without medical advice.

Expectations, additional treatment and costs

Cosmetic outcomes are personal and subjective. Asymmetry, persistent scars, dissatisfaction or unexpected healing may require additional care or revision. Timing, feasibility, likely benefit and potential additional costs of revision must be discussed separately.

Recovery and warning signs

Attend follow-up appointments. Seek prompt care for fever, worsening redness, pus, increasing bleeding, uncontrolled pain, sudden shortness of breath, chest pain or new swelling of one leg. Procedure-specific emergency warning signs are described above.

Alternatives and right to decline

You may decline the proposed operation, obtain a second opinion and withdraw consent before the intervention begins. Declining elective cosmetic surgery usually means retaining the current appearance; functional concerns should be assessed separately.

Photographs and privacy

Clinical photographs and medical records needed for care must be handled under applicable health-data confidentiality rules. Educational, social media, advertising or other public use is NOT authorized by this surgical consent and requires separate explicit permission.

INDIVIDUALIZED PLAN AND RISK NOTES (TO BE COMPLETED BY SURGEON)

Incisions, technique, side and additional procedures: _____

_____

Relevant conditions / risks / allergies / medications: _____

_____

Anesthesia and estimated duration: _____

_____

PATIENT COUNSELING AND DECISION RECORD

The purpose, technique, reasonable alternatives, consequences of declining surgery, significant risks, expected recovery and emergency warning signs were explained to me in a language I understand. I could ask questions and seek another opinion. I understand that outcomes are not guaranteed and additional care or revision may be needed. I know I can withdraw my consent before the procedure begins.

[ ] I consent to the procedure individualized and explained above.

[ ] I decline the proposed procedure / defer my decision.

Patient printed name and signature: _____

Date / Time: _____

Counseling surgeon name and signature: _____

Date / Time: _____

Legal representative, relationship and signature (if applicable):

_____

Date / Time: _____

Interpreter name, language and signature (if applicable): _____

Date / Time: _____

DRAFT • Requires surgeon and legal review • Not approved for clinical use